

## Standard Series

### 800mm Data Center Cabinets



www.enconnex.com

+1 510 651 2205

sales@enconnex.com

The Enconnex ECX series server cabinet is the ultimate solution designed and engineered for demanding data center environments.

## PRODUCT FEATURES

- Solid steel construction provides some of the best load ratings in the industry
- High-efficiency perforated doors allow for maximum airflow
- Dual side panel design makes accessing the side of your equipment quick and easy
- Split rear doors allow for maximum rear access while reducing footprint
- Matching locks on the doors and panels for a secure solution that is easy to manage
- Modular roof panel with large cable pass-throughs for oversized cable bundles
- Removable roof vent panel for quick installation of chimneys or fan systems
- Adjustable equipment rails with number labeling on both sides
- 3" HD casters to make rolling a loaded cabinet smooth and simple

## PRODUCT BENEFITS

- Engineered to make equipment installation simple and efficient
- Split rear doors reduce footprint and provide better access to equipment
- Can easily be bundled with containment options to create hot / cold aisle solution
- Full range of accessories to meet your airflow and cable management needs



## INCLUDED EQUIPMENT

- Solid steel, four post open frame
- Locking, dual side panels (4 per complete cabinet)
- Single perforated front door with locking handle
- Dual split rear perforated doors with locking handles
- Modular roof panel with snap-in grommets
- Removable roof vent panel with hardware
- Equipment mounting rails, adjustable, with hardware
- Two (2) PDU mounting bars with hardware
- Leveling feet and 3" HD casters
- Keys for all locks



## PRODUCT SPECIFICATIONS

<b>Cabinet Style</b>	Floor Standing
<b>Castors</b>	3" High-Grade
<b>UL Rating</b>	60950
<b>RoHS / ELV Compliance</b>	RoHS Compliant, ELV Compliant
<b>NOM</b>	Tested for NOM Compliance
<b>Approvals</b>	EIA / ECA-310-E
<b>Colors</b>	Black, White, Custom (Upon request)
<b>Weight Capacity - Stationary (lbs.)</b>	3300
<b>Weight Capacity - Rolling (lbs.)</b>	2600
<b>Units Per Pallet</b>	1

## SEISMIC SPECIFICATIONS

**Standard Cabinet** Our standard cabinet can be configured with a Zone 4 mounting kit and baying kit to meet current Zone 4 compliancy in seismic areas.

**Seismic Cabinet** Our seismic cabinets are engineered to meet current GR-63-CORE, NEBS seismic standards. These cabinets are manufactured with a welded design to ensure structural rigidity in seismic areas.

