





NOTES:

1. 90+ DB ATTENUATION 100MHZ-18GHZ
2. STANDARD RACK FOOTPRINT
3. 10kW+ OF COOLING
4. COMPLETE CUSTOMIZATION
5. 5 YEARS OF PERFORMANCE
6. UL APPROVED



<p>PROPRIETARY AND CONFIDENTIAL</p> <p>This drawing and its specifications are the property of ENCONNEX and shall not be copied, reproduced, or used in whole or in part, as the basis for the manufacture or sale of items without written permission from ENCONNEX. This drawing is based upon the latest available information and is subject to change without notice.</p>	<p>UNLESS OTHERWISE SPECIFIED</p> <p>X = ± 1 X.X = ± 0.5 X.XX = ± 0.30 X.XXX = ± 0.130 ANGULAR X = 1° X = 0.5° .XX = 0.25°</p>		 <p>4670 AIRCENTER CIRCLE RENO, NV 89502</p>	<p>DESCRIPTION:</p> <p>DefenseShield Slimline 42U (Generic)</p>				
	<p>COMMENTS:</p>			<p>MATERIAL:</p>		<p>FINISH:</p>		
	<p>DRAWN BY: K PARAB 09/23/2021</p> <p>APP. BY: R FAULKNER 09/23/2021</p>		<p>CLASS:</p>		<p>SIZE: A3</p>	<p>DRAWING NO: ECX-RFC-61342</p>	<p>REV NO: A</p>	
	<p>UNITS: mm [in]</p>		<p>INTERPRET TO ASME Y14.100</p>		<p>DEBURR AND BREAK SHARP EDGES/CONTOURS AT 0.2mm MAX</p>		<p>SCALE: N/A</p>	<p>WEIGHT:</p>

NOTES:



<p>PROPRIETARY AND CONFIDENTIAL</p> <p>This drawing and its specifications are the property of ENCONNEX and shall not be copied, reproduced, or used in whole or in part, as the basis for the manufacture or sale of items without written permission from ENCONNEX. This drawing is based upon the latest available information and is subject to change without notice.</p>	<p>UNLESS OTHERWISE SPECIFIED</p> <p>X = ± 1 X.X = ± 0.5 X.XX = ± 0.30 X.XXX = ± 0.130 ANGULAR X = 1° X = 0.5° .XX = 0.25°</p>		<p>4670 AIRCENTER CIRCLE RENO, NV 89502</p>	<p>DESCRIPTION:</p> <p>DefenseShield Slimline 42U (Generic)</p>			
	<p>COMMENTS:</p>			<p>MATERIAL:</p>			
	<p>DRAWN BY: K PARAB</p>	<p>DATE: 09/23/2021</p>	<p>FINISH:</p>	<p>CLASS:</p>	<p>SIZE: A3</p>	<p>DRAWING NO: ECX-RFC-61342</p>	<p>REV NO: A</p>
	<p>APP. BY: R FAULKNER</p>	<p>DATE: 09/23/2021</p>	<p>DEBURR AND BREAK SHARP EDGES/CONTOURS AT 0.2mm MAX</p>		<p>SCALE: N/A</p>	<p>WEIGHT:</p>	<p>SHEET: 2 OF 4</p>
<p>UNITS: mm [in]</p>			<p>INTERPRET TO ASME Y14.100</p>				

NOTES:

8 7 6 5 4 3 2 1

E

E

D

D

C


C

B

B


A

A





VIEW A-A

2X SPLITFORM WAVEGUIDES
(EXAMPLE OF I/O CUSTOMIZATION)




VIEW B-B

<p>PROPRIETARY AND CONFIDENTIAL</p> <p>This drawing and its specifications are the property of ENCONNEX and shall not be copied, reproduced, or used in whole or in part, as the basis for the manufacture or sale of items without written permission from ENCONNEX. This drawing is based upon the latest available information and is subject to change without notice.</p>	<p>UNLESS OTHERWISE SPECIFIED</p> <p>X = ± 1 X.X = ± 0.5 X.XX = ± 0.30 X.XXX = ± 0.130 ANGULAR X = 1° .X = 0.5° .XX = 0.25°</p>		 <p>4670 AIRCENTER CIRCLE RENO, NV 89502</p>	<p>DESCRIPTION:</p> <p>DefenseShield Slimline 42U (Generic)</p>		
	<p>COMMENTS:</p>			<p>MATERIAL:</p>	<p>FINISH:</p>	<p>CLASS:</p>
	<p>DRAWN BY: K PARAB</p>	<p>DATE: 09/23/2021</p>	<p>DEBURR AND BREAK SHARP EDGES/CONTOURS AT 0.2mm MAX</p>	<p>DRAWING NO: ECX-RFC-61342</p>	<p>REV NO: A</p>	
<p>UNITS: mm [in]</p>			<p>INTERPRET TO ASME Y14.100</p>	<p>SCALE: N/A</p>	<p>WEIGHT:</p>	<p>SHEET: 3 OF 4</p>


8 7 6 5 4 3 2 1

NOTES:



VIEW C-C

DOOR SENSOR DE-ENERGIZES FANS WHEN DOOR OPENS



VIEW D-D

<p>PROPRIETARY AND CONFIDENTIAL</p> <p>This drawing and its specifications are the property of ENCONNEX and shall not be copied, reproduced, or used in whole or in part, as the basis for the manufacture or sale of items without written permission from ENCONNEX. This drawing is based upon the latest available information and is subject to change without notice.</p>	<p>UNLESS OTHERWISE SPECIFIED</p> <p>X = ± 1 X.X = ± 0.5 X.XX = ± 0.30 X.XXX = ± 0.130 ANGULAR X = 1° X = 0.5° .XX = 0.25°</p>		<p>4670 AIRCENTER CIRCLE RENO, NV 89502</p>	<p>DefenseShield Slimline 42U (Generic)</p>			
	<p>COMMENTS:</p>						<p>MATERIAL:</p>
	<p>DRAWN BY: K PARAB</p>	<p>DATE: 09/23/2021</p>	<p>FINISH:</p>	<p>CLASS:</p>	<p>SIZE: A3</p>	<p>DRAWING NO: ECX-RFC-61342</p>	<p>REV NO: A</p>
	<p>APP. BY: R FAULKNER</p>	<p>DATE: 09/23/2021</p>	<p>DEBURR AND BREAK SHARP EDGES/CONTOURS AT 0.2mm MAX</p>		<p>SCALE: N/A</p>	<p>WEIGHT:</p>	<p>SHEET: 4 OF 4</p>
<p>UNITS: mm [in]</p>			<p>INTERPRET TO ASME Y14.100</p>				