





	5	4	3	2	1								
Notes/Instructions:					<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="width: 10%;">REV</th> <th style="width: 15%;">REV DATE</th> <th style="width: 55%;">DESCRIPTION</th> <th style="width: 20%;">APPROVAL</th> </tr> <tr> <td style="text-align: center;">A</td> <td style="text-align: center;">2019-04-08</td> <td style="text-align: center;">RELEASE</td> <td style="text-align: center;">CC/RF</td> </tr> </table>	REV	REV DATE	DESCRIPTION	APPROVAL	A	2019-04-08	RELEASE	CC/RF
REV	REV DATE	DESCRIPTION	APPROVAL										
A	2019-04-08	RELEASE	CC/RF										
D					D								
C					C								
B					B								
A					A								
					(NOT TO SCALE)								
Notes: This drawing and its specifications are the property of ENCONNEX and shall not be copied, reproduced, or used in whole or in part, as the basis for the manufacture or sale of items without written permission from ENCONNEX. This drawing is based upon the latest available information and is subject to change without notice.	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; padding: 2px;"> TOLERANCES LINEAR (mm) X = ± 1 X.X = ± 0.5 X.XX = ± 0.30 X.XXX = ± 0.130 ANGULAR X = 1° .X = 0.5° .XX = 0.25° </td> <td style="width: 50%; padding: 2px;"> MATERIAL: N/A </td> </tr> <tr> <td style="padding: 2px;">  DEBUR AND BREAK SHARP EDGES/CORNERS AT 0.2mm MAX </td> <td style="padding: 2px;"> FINISH: N/A </td> </tr> <tr> <td style="padding: 2px;"> UNITS: mm [in] </td> <td style="padding: 2px;"> INTERPRET TO ASME Y14.100 </td> </tr> </table>		TOLERANCES LINEAR (mm) X = ± 1 X.X = ± 0.5 X.XX = ± 0.30 X.XXX = ± 0.130 ANGULAR X = 1° .X = 0.5° .XX = 0.25°	MATERIAL: N/A	 DEBUR AND BREAK SHARP EDGES/CORNERS AT 0.2mm MAX	FINISH: N/A	UNITS: mm [in]	INTERPRET TO ASME Y14.100	 4670 AIRCENTER CIRCLE, RENO, NV 89502		PART NUMBER: DESCRIPTION: INPUT METERED, OUTLET SWITCHED PDU		
TOLERANCES LINEAR (mm) X = ± 1 X.X = ± 0.5 X.XX = ± 0.30 X.XXX = ± 0.130 ANGULAR X = 1° .X = 0.5° .XX = 0.25°	MATERIAL: N/A												
 DEBUR AND BREAK SHARP EDGES/CORNERS AT 0.2mm MAX	FINISH: N/A												
UNITS: mm [in]	INTERPRET TO ASME Y14.100												
		DRAWN BY: C.CHAUDHARI	ORG DATE: 2019-04-08										
		APPROVED BY: R. FAULKNER	REV DATE: 2019-04-08										
		SIZE: A4	SCALE: N/A	SHEET: 1 / 16	REV: A								