



Notes/Instructions:

REV	REV DATE	DESCRIPTION	APPROVAL
A	2019-09-12	RELEASE	
B	2020-05-14	OUTLET MODULE CHANGE	
C	2020-07-22	FINISHED GOOD DESCRIPTION UPDATE	

FINISHED GOOD NUMBER	FINISHED GOOD DESCRIPTION	COLOR	COLOR LABEL	WEIGHT
ECX-SV1812120-7	VERTICAL,(12)C13, (12)C19, MONITORED SWITCHED, ENCONNEX CONNECTOR, ECX-HDC-730P, 7-PIN,NO POWER CORD,TOP-FRONT FED,BLACK	BLACK(RAL 9005)	N/A	9.2kg
ECX-SV1812120-7RO	VERTICAL,(12)C13, (12)C19, MONITORED SWITCHED, ENCONNEX CONNECTOR, ECX-HDC-730P, 7-PIN,NO POWER CORD,TOP-FRONT FED,RED	RED(RAL 3020)	R E D	9.2kg
ECX-SV1812120-7BO	VERTICAL,(12)C13, (12)C19, MONITORED SWITCHED, ENCONNEX CONNECTOR, ECX-HDC-730P, 7-PIN,NO POWER CORD,TOP-FRONT FED,BLUE	BLUE(RAL 5005)	B L U E	9.2kg


Notes:

This drawing and its specifications are the property of ENCONNEX and shall not be copied, reproduced, or used in whole or in part, as the basis for the manufacture or sale of items without written permission from ENCONNEX. This drawing is based upon the latest available information and is subject to change without notice.

TOLERANCES LINEAR (mm) X = ± 1 X.X = ± 0.5 X.XX = ± 0.30 X.XXX = ± 0.130 ANGULAR X = 1° .X = 0.5° .XX = 0.25°	MATERIAL:	 ENCONNEX 4670 AIRCENTER CIRCLE, RENO, NV 89502	PART NUMBER: ECX-SV1812120-7
	DESCRIPTION:		DESCRIPTION:
 DEBUR AND BREAK SHARP EDGES/CORNERS AT 0.2mm MAX	DRAWN BY: H. XU	ORG DATE: 2020-05-14	
	APPROVED BY: R. FAULKNER	REV DATE:	
UNITS: mm [in]	INTERPRET TO ASME Y14.100	SIZE: A4	SCALE: 1 : 1
		SHEET: 2/3	REV: B

REV	REV DATE	DESCRIPTION	APPROVAL
A	2019-09-19	RELEASE	
B	2020-05-14	OUTLET MODULE CHANGE	
C	2020-05-14	FINISHED GOOD DESCRIPTION UPDATE	

Notes/Instructions:



Notes:
 This drawing and its specifications are the property of ENCONNEX and shall not be copied, reproduced, or used in whole or in part, as the basis for the manufacture or sale of items without written permission from ENCONNEX. This drawing is based upon the latest available information and is subject to change without notice.

TOLERANCES LINEAR (mm) X = ±0.1 XX = ±0.05 XXX = ±0.030 ANGLULAR X = 1° X = 0.5° XX = 0.25°	MATERIAL:		PART NUMBER: ECX-SV1812120-7
	DESCRIPTION:		DESCRIPTION: Wiring Scheme
DEBUR AND BREAK SHARP EDGES/CORNERS RT 0.2mm MAX	DRAWN BY: Jia Zhang APPROVED BY: J.R. FALKNER	4670 AIRCENTER CIRCLE RENO, NV 89502	ORG DATE: 2020-05-14 REV DATE: SHEET: 1/3 REV: B
UNITS: mm [in]	INTERPRET TO ASME Y14.100	SIZE: A2 SCALE: 1:1	SHEET: 1/3 REV: B