

# DevShield Mini Enclosure

SKU#: ECX-RFC-484129

Provides industry-leading radio frequency (RF) shielding. Mitigates signals emanating from or interfering with electronics within the enclosure. The shielded enclosure features lightweight construction and can be directly mounted onto a 2 post rack or be held by an equipment shelf. The smaller construction of this enclosure makes it a good fit for high-density test environments. Perfect for labs, offices, and data centers.



## PRODUCT APPLICATIONS

The DevShield Mini Enclosure acts as a faraday cage preventing interfering signals from entering or exiting the enclosure. A number of applications require RF shielding:

### Cybersecurity

- Isolation of sensitive data from emergent threats including EMI and power analysis side channels

### Innovation

- Mobile device testing
- Segregation of wireless networks; In-rack wireless networks

### Communications

- Emanations control mitigating interference with scientific equipment such as a satellite radio antenna



## KEY FEATURES

### Lightweight, Rugged Construction

Rack weight does not limit installation locations

### Reduced Rack Footprint

Seamless integration into office, lab, and data center layouts

### Customizable I/O

Customizable I/O panels allow for signal, data, and power connectivity



# PRODUCT FEATURES

## Door

- One (1) front door
- Three (3) hinges
- Secure latch for tight seal

## Finish

- White paint

## Operating Environment

- Temperature: -10~50°C
- Humidity: 20~75%

## RF Shielding Performance

- 85 dB @ 1-3GHz
- 85 dB @ 3-6GHz



# PHYSICAL SPECIFICATIONS

Physical	Specs
Dimensions	11.6" x 18.9" x 16.28" (293.5 x 480 x 413.5mm)
Max Mounting Depth	12.75" (323.85mm)
# of RUs - Usable Space	5U
Connectors in I/O Panel	2x N type connector 10x USB 3.0 connector 2x USB 2.0 connector 1x RJ45 connector 1x C14 connector

# PRODUCT CERTIFICATIONS

FCC Test Standards	CFR Title 47, Part 15, Subpart B ANSI C63.4-2014
	EN 55032:2015+A1:2020
CE Test Standards	EN 55035:2017+A11:2020
	EN IEC 61000-3-2:2019+A1:2021
	EN 61000-3-3:2013/A2:2021