



THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF ENCONNEX LLC. AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT THE WRITTEN PERMISSION OF ENCONNEX LLC. THIS DRAWING IS SUBJECT TO CHANGE WITHOUT NOTICE.

NOTE: Cabinet not include, this view shows the installed ECX-CBLMGR-VRT45U



(ECX Cabinet)

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
1	Control Released	2022.2.8	FANCY FAN
A	Full Released	2022.2.16	FANCY FAN




(DC Cabinet)

NOTES, UNLESS OTHERWISE SPECIFIED:


1. MATERIAL:CRS+ABS
2. FINISH: RAL 9005
3. PART MUST BE SUFFICIENTLY FREE OF BURRS AND SHARP EDGES TO PASS UL 1439 SHARP EDGE TEST.
4. 3D CAD AVAILABLE IN ADDITION TO PDF PRINT. SHOULD DISCREPANCY ARISE, CONSULT ENCONNEX ENGINEERING IMMEDIATELY.
5. ALL PARTS TO BE FREE OF DIRT OR GRIME THAT PREVENTS LABEL ADHESION OR ALLOWS TRANSFER ONTO COSMETIC AREAS.
6. MUST BE ROHS COMPLIANT, INCLUDING HARDWARE. IF CONFLICTING SPECIFICATIONS EXIST, CONTACT ENCONNEX ENGINEERING.
7. DIMENSIONS IDENTIFIED WITH (X.XX) ARE CONSIDERED CRITICAL TO QUALITY (CTQ) DIMENSIONS. THESE DIMENSIONS ARE EXPECTED TO BE MONITORED STATISTICALLY AND DOCUMENTED AS PART OF THE FABRICATION PROCESS.

<p>UNLESS NOTED, DIMENSIONS IN MILLIMETERS &amp; TOLERANCES ARE:</p> <p>X. ±1 MM X° ±1°</p> <p>X.X ±0.5 MM X.X° ±0.5°</p> <p>X.XX ±0.20 MM</p> <p>ØX.X ±0.3 MM</p> <p>ØX.XX ±0.10 MM</p>	<p>4670 AIRCENTER CIRCLE, RENO, NV89502</p>	PRODUCT LINE:	CABLE MANAGEMENT
		PART NUMBER:	ECX-CBLMGR-VRT45U
		DESCRIPTION:	Vertical Cable Manager, plastic finger, 106mm, used for 45U ECX/DC cabinet, Mounting rail, PDU bar compatible, 1 pcs
<p>THIRD ANGLE PROJECTION</p>	DRAWING FILE NAME	ENGINEER:	
	ECX-CBLMGR-VRT45U	WAYNE WANG	ORG DATE:
	3D MODEL FILE NAME	DRAWN:	REV DATE:
ECX-CBLMGR-VRT45U	WAYNE WANG	2022.2.16	
3D MODEL CONFIGURATION	ITEM WEIGHT (REFERENCE ONLY)	REV: A	
Default	5.4/KG		
UNITS:MM[IN]	INTERPRET TO ASME Y14.100	SIZE: B	SHEET:1/7


THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF ENCONNEX LLC. AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT THE WRITTEN PERMISSION OF ENCONNEX LLC. THIS DRAWING IS SUBJECT TO CHANGE WITHOUT NOTICE.





FRONT VIEW




REAR VIEW

UNLESS NOTED, DIMENSIONS IN MILLIMETERS & TOLERANCES ARE: X. ± 1 MM X.X ± 0.5 MM X.XX ± 0.20 MM ØX.X ± 0.3 MM ØX.XX ± 0.10 MM	$X^\circ \pm 1^\circ$ $X.X^\circ \pm 0.5^\circ$	 ENCONNEX 4670 AIRCENTER CIRCLE, RENO, NV89502	PRODUCT LINE: CABLE MANAGEMENT
			PART NUMBER: ECX-CBLMGR-VRT45U
			DESCRIPTION: Vertical Cable Manager, plastic finger, 106mm, used for 45U ECX/DC cabinet, Mounting rail, PDU bar compatible, 1 pcs
 THIRD ANGLE PROJECTION	DRAWING FILE NAME ECX-CBLMGR-VRT45U	ENGINEER: WAYNE WANG	ORG DATE: 2022.2.16
	3D MODEL FILE NAME ECX-CBLMGR-VRT45U	DRAWN: WAYNE WANG	REV DATE: 2022.2.16
3D MODEL CONFIGURATION Default		ITEM WEIGHT (REFERENCE ONLY) 5.4/KG	REV: A
UNITS:MM[IN]	INTERPRET TO ASME Y14.100	SIZE: B	SCALE:1:1 DO NOT SCALE DRAWING SHEET:2/7


THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF ENCONNEX LLC. AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT THE WRITTEN PERMISSION OF ENCONNEX LLC. THIS DRAWING IS SUBJECT TO CHANGE WITHOUT NOTICE.




TOP VIEW



FRONT VIEW



SIDE VIEW




REAR VIEW


ITEM	PN	QTY
1	1M5-W002	1
2	P400-100001	42
3	1M5-W001	2
4	P400-100001 Cover plastic lock 1.0mm	8
5	1M5-W003	2

<p>UNLESS NOTED, DIMENSIONS IN MILLIMETERS &amp; TOLERANCES ARE:</p> <p>X. ±1 MM X° ±1°  X.X ±0.5 MM X.X° ±0.5°  X.XX ±0.20 MM  ØX.X ±0.3 MM  ØX.XX ±0.10 MM</p>	<p>4670 AIRCENTER CIRCLE, RENO, NV89502</p>	<p>PRODUCT LINE: CABLE MANAGEMENT</p>		
		<p>PART NUMBER: ECX-CBLMGR-VRT45U</p>		
<p>6270 AIRCENTER CIRCLE, RENO, NV89502</p>		<p>DESCRIPTION: Vertical Cable Manager, plastic finger, 106mm, used for 45U ECX/DC cabinet, Mounting rail, PDU bar compatible, 1 pcs</p>		
<p>THIRD ANGLE PROJECTION Default</p>	<p>DRAWING FILE NAME ECX-CBLMGR-VRT45U</p>	<p>ENGINEER: WAYNE WANG</p>	<p>ORG DATE: 2022.2.16</p>	
	<p>3D MODEL FILE NAME ECX-CBLMGR-VRT45U</p>	<p>DRAWN: WAYNE WANG</p>	<p>REV DATE: 2022.2.16</p>	<p>REV: A</p>
<p>UNITS:MM[IN]</p>	<p>INTERPRET TO ASME Y14.100</p>	<p>SIZE: B</p>	<p>SCALE:1:1</p>	<p>DO NOT SCALE DRAWING</p>
		<p>ITEM WEIGHT (REFERENCE ONLY) 5.4/KG</p>	<p>SHEET:3/7</p>	


THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF ENCONNEX LLC. AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT THE WRITTEN PERMISSION OF ENCONNEX LLC. THIS DRAWING IS SUBJECT TO CHANGE WITHOUT NOTICE.




TOP VIEW



FRONT VIEW



SIDE VIEW



REAR VIEW

UNLESS NOTED, DIMENSIONS IN MILLIMETERS & TOLERANCES ARE:

X.	± 1	MM	X°	± 1°
X.X	± 0.5	MM	X.X°	± 0.5°
X.XX	± 0.20	MM		
ØX.X	± 0.3	MM		
ØX.XX	± 0.10	MM		



PRODUCT LINE:  
CABLE MANAGEMENT

PART NUMBER:  
ECX-CBLMGR-VRT45U

4670 AIRCENTER  
CIRCLE, RENO,  
NV89502

DESCRIPTION: Vertical Cable Manager,  
plastic finger, 106mm, used for 45U ECX/DC  
cabinet, Mounting rail, PDU bar compatible, 1 pcs



THIRD ANGLE  
PROJECTION

DRAWING FILE NAME  
ECX-CBLMGR-VRT45U  
3D MODEL FILE NAME  
ECX-CBLMGR-VRT45U  
3D MODEL CONFIGURATION  
Default




ENGINEER:  
WAYNE WANG  
DRAWN:  
WAYNE WANG  
ITEM WEIGHT (REFERENCE ONLY)  
5.4/KG

ORG DATE:  
2022.2.16  
REV DATE:  
2022.2.16  
REV: A

UNITS:MM[IN] INTERPRET TO ASME Y14.100 SIZE: B SCALE:1:1 DO NOT SCALE DRAWING SHEET:4/7

THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF ENCONNEX LLC. AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT THE WRITTEN PERMISSION OF ENCONNEX LLC. THIS DRAWING IS SUBJECT TO CHANGE WITHOUT NOTICE.

Note:  
Four buttons are installed from the red holes to fix on the ECX/DC PDU bar.



UNLESS NOTED, DIMENSIONS IN MILLIMETERS & TOLERANCES ARE:

X.	± 1	MM	X°	± 1°
X.X	± 0.5	MM	X.X°	± 0.5°
X.XX	± 0.20	MM		
ØX.X	± 0.3	MM		
ØX.XX	± 0.10	MM		




4670 AIRCENTER  
CIRCLE, RENO,  
NV89502

PRODUCT LINE:  
CABLE MANAGEMENT

PART NUMBER:  
ECX-CBLMGR-VRT45U

DESCRIPTION: Vertical Cable Manager,  
plastic finger, 106mm, used for 45U ECX/DC  
cabinet, Mounting rail, PDU bar compatible, 1 pcs



THIRD ANGLE  
PROJECTION

DRAWING FILE NAME  
ECX-CBLMGR-VRT45U  
3D MODEL FILE NAME  
ECX-CBLMGR-VRT45U  
3D MODEL CONFIGURATION  
Default

ENGINEER:  
WAYNE WANG  
DRAWN:  
WAYNE WANG  
ITEM WEIGHT (REFERENCE ONLY)  
5.4/KG




ORG DATE:  
2022.2.16  
REV DATE:  
2022.2.16

REV: A

UNITS:MM[IN] INTERPRET TO ASME Y14.100 SIZE: B SCALE:1:1 DO NOT SCALE DRAWING SHEET:5/7

THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF ENCONNEX LLC. AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT THE WRITTEN PERMISSION OF ENCONNEX LLC. THIS DRAWING IS SUBJECT TO CHANGE WITHOUT NOTICE.


Note:  
The green holes are for install on the DC mounting rail,



<p>UNLESS NOTED, DIMENSIONS IN MILLIMETERS &amp; TOLERANCES ARE:</p> <p>X. ±1 MM X° ±1°  X.X ±0.5 MM X.X° ±0.5°  X.XX ±0.20 MM  ØX.X ±0.3 MM  ØX.XX ±0.10 MM</p>	<p>4670 AIRCENTER CIRCLE, RENO, NV89502</p>	<p>PRODUCT LINE: CABLE MANAGEMENT</p>
		<p>PART NUMBER: ECX-CBLMGR-VRT45U</p>
<p>DESCRIPTION: Vertical Cable Manager, plastic finger, 106mm, used for 45U ECX/DC cabinet, Mounting rail, PDU bar compatible, 1 pcs</p>		<p>ORG DATE: 2022.2.16</p>
<p>THIRD ANGLE PROJECTION</p>	<p>DRAWING FILE NAME ECX-CBLMGR-VRT45U</p> <p>3D MODEL FILE NAME ECX-CBLMGR-VRT45U</p> <p>3D MODEL CONFIGURATION Default</p>	<p>ENGINEER: WAYNE WANG</p> <p>DRAWN: WAYNE WANG</p> <p>ITEM WEIGHT (REFERENCE ONLY) 5.4/KG</p>
<p>UNITS:MM[IN]</p>	<p>INTERPRET TO ASME Y14.100</p>	<p>SCALE:1:1</p>
<p>SIZE: B</p>	<p>DO NOT SCALE DRAWING</p>	<p>REV: A</p>
<p>SHEET:6/7</p>		

THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF ENCONNEX LLC. AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT THE WRITTEN PERMISSION OF ENCONNEX LLC. THIS DRAWING IS SUBJECT TO CHANGE WITHOUT NOTICE.

Note:  
The pink holes are for install on the ECX mounting rail



<p>UNLESS NOTED, DIMENSIONS IN MILLIMETERS &amp; TOLERANCES ARE:</p> <p>X. ± 1 MM    X° ± 1°  X.X ± 0.5 MM    X.X° ± 0.5°  X.XX ± 0.20 MM  ØX.X ± 0.3 MM  ØX.XX ± 0.10 MM</p>	 <p>4670 AIRCENTER CIRCLE, RENO, NV89502</p>	<p>PRODUCT LINE: CABLE MANAGEMENT</p>
		<p>PART NUMBER: ECX-CBLMGR-VRT45U</p>
<p>DRAWING FILE NAME ECX-CBLMGR-VRT45U</p>		<p>ENGINEER: WAYNE WANG</p>
<p>3D MODEL FILE NAME ECX-CBLMGR-VRT45U</p>		<p>DRAWN: WAYNE WANG</p>
<p>3D MODEL CONFIGURATION Default</p>		<p>ITEM WEIGHT (REFERENCE ONLY) 5.4/KG</p>
<p>UNITS:MM[IN]    INTERPRET TO ASME Y14.100    SIZE: B</p>		<p>SCALE:1:1    DO NOT SCALE DRAWING</p>
<p>ORG DATE: 2022.2.16</p>		<p>REV DATE: 2022.2.16</p>
<p>REV: A</p>		<p>SHEET:7/7</p>

F  
E  
D  
C  
B  
A

F  
E  
D  
C  
B  
A

8    7    6    5    4    3    2    1

8    7    6    5    4    3    2    1