



THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF ENCONNEX LLC. AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT THE WRITTEN PERMISSION OF ENCONNEX LLC. THIS DRAWING IS SUBJECT TO CHANGE WITHOUT NOTICE.

NOTE: Cabinet not include, this view shows the installed ECX-CBLMGR-VRT48U



(ECX Cabinet)

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
1	Control Released	2022.2.8	FANCY FAN
A	Full Released	2022.2.16	FANCY FAN



(DC Cabinet)

NOTES, UNLESS OTHERWISE SPECIFIED:

- MATERIAL: CRS+ABS
- FINISH: RAL 9005
- PART MUST BE SUFFICIENTLY FREE OF BURRS AND SHARP EDGES TO PASS UL 1439 SHARP EDGE TEST.
- 3D CAD AVAILABLE IN ADDITION TO PDF PRINT. SHOULD DISCREPANCY ARISE, CONSULT ENCONNEX ENGINEERING IMMEDIATELY.
- ALL PARTS TO BE FREE OF DIRT OR GRIME THAT PREVENTS LABEL ADHESION OR ALLOWS TRANSFER ONTO COSMETIC AREAS.
- MUST BE ROHS COMPLIANT, INCLUDING HARDWARE. IF CONFLICTING SPECIFICATIONS EXIST, CONTACT ENCONNEX ENGINEERING.
- DIMENSIONS IDENTIFIED WITH (X.XX) ARE CONSIDERED CRITICAL TO QUALITY (CTQ) DIMENSIONS. THESE DIMENSIONS ARE EXPECTED TO BE MONITORED STATISTICALLY AND DOCUMENTED AS PART OF THE FABRICATION PROCESS.

<p>UNLESS NOTED, DIMENSIONS IN MILLIMETERS &amp; TOLERANCES ARE:</p> <p>X. ±1 MM X° ±1°  X.X ±0.5 MM X.X° ±0.5°  X.XX ±0.20 MM  ØX.X ±0.3 MM  ØX.XX ±0.10 MM</p>	<p>4670 AIRCENTER CIRCLE, RENO, NV89502</p>	PRODUCT LINE: CABLE MANAGEMENT
		PART NUMBER: ECX-CBLMGR-VRT48U
<p>DRAWING FILE NAME: ECX-CBLMGR-VRT48U</p> <p>3D MODEL FILE NAME: ECX-CBLMGR-VRT48U</p> <p>3D MODEL CONFIGURATION: Default</p>		<p>ENGINEER: WAYNE WANG</p> <p>DRAWN: WAYNE WANG</p> <p>ITEM WEIGHT (REFERENCE ONLY): 6.58/KG</p>
<p>ORG DATE: 2022.2.16</p> <p>REV DATE: 2022.2.16</p>		REV: A
UNITS:MM[IN]	INTERPRET TO ASME Y14.100	SIZE: B
SCALE:1:1		DO NOT SCALE DRAWING
SHEET:1/8		

F  
E  
D  
C  
B  
A

F  
E  
D  
C  
B  
A

8 7 6 5 4 3 2 1

8 7 6 5 4 3 2 1

8 7 6 5 4 3 2 1

8 7 6 5 4 3 2 1


8 7 6 5 4 3 2 1

8 7 6 5 4 3 2 1


8 7 6 5 4 3 2 1

8 7 6 5 4 3 2 1

THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF ENCONNEX LLC. AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT THE WRITTEN PERMISSION OF ENCONNEX LLC. THIS DRAWING IS SUBJECT TO CHANGE WITHOUT NOTICE.




FRONT VIEW



REAR VIEW

<p>UNLESS NOTED, DIMENSIONS IN MILLIMETERS &amp; TOLERANCES ARE:</p> <p>X. ± 1 MM X° ± 1°  X.X ± 0.5 MM X.X° ± 0.5°  X.XX ± 0.20 MM  ØX.X ± 0.3 MM  ØX.XX ± 0.10 MM</p>	 <p>4670 AIRCENTER CIRCLE, RENO, NV89502</p>	<p>PRODUCT LINE: CABLE MANAGEMENT</p>
		<p>PART NUMBER: ECX-CBLMGR-VRT48U</p>
<p>DRAWING FILE NAME ECX-CBLMGR-VRT48U</p>		<p>ENGINEER: WAYNE WANG</p>
<p>3D MODEL FILE NAME ECX-CBLMGR-VRT48U</p>		<p>DRAWN: WAYNE WANG</p>
<p>3D MODEL CONFIGURATION Default</p>		<p>ITEM WEIGHT (REFERENCE ONLY) 6.58/KG</p>
<p>UNITS:MM[IN] INTERPRET TO ASME Y14.100</p>		<p>SCALE:1:1 DO NOT SCALE DRAWING</p>
<p>SIZE: B</p>		<p>SHEET:2/8</p>





THIRD ANGLE PROJECTION

DESCRIPTION: Vertical Cable Manager, plastic finger, 106mm, used for 48U ECX/DC cabinet, Mounting rail, PDU bar compatible, 1 pcs


ORG DATE: 2022.2.16  
REV DATE: 2022.2.16

REV: A


THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF ENCONNEX LLC. AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT THE WRITTEN PERMISSION OF ENCONNEX LLC. THIS DRAWING IS SUBJECT TO CHANGE WITHOUT NOTICE.




FRONT VIEW



TOP VIEW



SIDE VIEW



REAR VIEW

ITEM	PN	QTY
1	1M5-W006	1
2	P400-100001	46
3	1M5-W007	2
4	P400-100001 Cover plastic lock 1.0mm	8

<p>UNLESS NOTED, DIMENSIONS IN MILLIMETERS &amp; TOLERANCES ARE:</p> <p>X. ±1 MM X° ±1°  X.X ±0.5 MM X.X° ±0.5°  X.XX ±0.20 MM  ØX.X ±0.3 MM  ØX.XX ±0.10 MM</p>		PRODUCT LINE: CABLE MANAGEMENT			
		PART NUMBER: ECX-CBLMGR-VRT48U			
<p>4670 AIRCENTER CIRCLE, RENO, NV89502</p>		DESCRIPTION: Vertical Cable Manager, plastic finger, 106mm, used for 48U ECX/DC cabinet, Mounting rail, PDU bar compatible, 1 pcs			
<p>THIRD ANGLE PROJECTION</p>	DRAWING FILE NAME ECX-CBLMGR-VRT48U	ENGINEER: WAYNE WANG			
	3D MODEL FILE NAME ECX-CBLMGR-VRT48U	DRAWN: WAYNE WANG	ORG DATE: 2022.2.16		
	3D MODEL CONFIGURATION Default	ITEM WEIGHT (REFERENCE ONLY) 6.58/KG	REV DATE: 2022.2.16		
UNITS:MM[IN]	INTERPRET TO ASME Y14.100	SIZE: B	SCALE:1:1	DO NOT SCALE DRAWING	SHEET:3/8


F  
E  
D  
C  
B  
A

F  
E  
D  
C  
B  
A


8 7 6 5 4 3 2 1

8 7 6 5 4 3 2 1


THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF ENCONNEX LLC. AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT THE WRITTEN PERMISSION OF ENCONNEX LLC. THIS DRAWING IS SUBJECT TO CHANGE WITHOUT NOTICE.




TOP VIEW



FRONT VIEW



SIDE VIEW





REAR VIEW

<p>UNLESS NOTED, DIMENSIONS IN MILLIMETERS &amp; TOLERANCES ARE:</p> <p>X. ± 1 MM X° ± 1°</p> <p>X.X ± 0.5 MM X.X° ± 0.5°</p> <p>X.XX ± 0.20 MM</p> <p>ØX.X ± 0.3 MM</p> <p>ØX.XX ± 0.10 MM</p>		<p>PRODUCT LINE: CABLE MANAGEMENT</p>	
		<p>PART NUMBER: ECX-CBLMGR-VRT48U</p>	
<p>4670 AIRCENTER CIRCLE, RENO, NV89502</p>		<p>DESCRIPTION: Vertical Cable Manager, plastic finger, 106mm, used for 48U ECX/DC cabinet, Mounting rail, PDU bar compatible, 1 pcs</p>	
<p>THIRD ANGLE PROJECTION</p>	<p>DRAWING FILE NAME ECX-CBLMGR-VRT48U</p>	<p>ENGINEER: WAYNE WANG</p>	<p>ORG DATE: 2022.2.16</p>
	<p>3D MODEL FILE NAME ECX-CBLMGR-VRT48U</p>	<p>DRAWN: WAYNE WANG</p>	<p>REV DATE: 2022.2.16</p>
<p>3D MODEL CONFIGURATION Default</p>		<p>ITEM WEIGHT (REFERENCE ONLY) 6.58/KG</p>	<p>REV: A</p>
<p>UNITS:MM[IN]</p>	<p>INTERPRET TO ASME Y14.100</p>	<p>SIZE: B</p>	<p>SCALE:1:1 DO NOT SCALE DRAWING</p>
		<p>SHEET:4/8</p>	

THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF ENCONNEX LLC. AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT THE WRITTEN PERMISSION OF ENCONNEX LLC. THIS DRAWING IS SUBJECT TO CHANGE WITHOUT NOTICE.



Note:  
Four buttons are installed from the red holes to fix on the ECX PDU bar.



<p>UNLESS NOTED, DIMENSIONS IN MILLIMETERS &amp; TOLERANCES ARE:</p> <p>X. ±1 MM X° ±1°  X.X ±0.5 MM X.X° ±0.5°  X.XX ±0.20 MM  ØX.X ±0.3 MM  ØX.XX ±0.10 MM</p>	 <p>4670 AIRCENTER CIRCLE, RENO, NV89502</p>	<p>PRODUCT LINE: CABLE MANAGEMENT</p>
		<p>PART NUMBER: ECX-CBLMGR-VRT48U</p>
<p>DESCRIPTION: Vertical Cable Manager, plastic finger, 106mm, used for 48U ECX/DC cabinet, Mounting rail, PDU bar compatible, 1 pcs</p>		<p>ORG DATE: 2022.2.16</p>
 <p>THIRD ANGLE PROJECTION</p>	<p>DRAWING FILE NAME ECX-CBLMGR-VRT48U</p> <p>3D MODEL FILE NAME ECX-CBLMGR-VRT48U</p> <p>3D MODEL CONFIGURATION Default</p>	<p>ENGINEER: WAYNE WANG</p> <p>DRAWN: WAYNE WANG</p> <p>ITEM WEIGHT (REFERENCE ONLY) 6.58/KG</p>
<p>UNITS:MM[IN]</p>	<p>INTERPRET TO ASME Y14.100</p>	<p>SCALE:1:1</p>
<p>SIZE: B</p>	<p>DO NOT SCALE DRAWING</p>	<p>REV: A</p>
<p>SHEET:5/8</p>		

THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF ENCONNEX LLC. AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT THE WRITTEN PERMISSION OF ENCONNEX LLC. THIS DRAWING IS SUBJECT TO CHANGE WITHOUT NOTICE.

Note:  
Four buttons are installed from the yellow holes to fix on the DC PDU bar.



UNLESS NOTED, DIMENSIONS IN MILLIMETERS & TOLERANCES ARE:

X.	± 1	MM	X°	± 1°
X.X	± 0.5	MM	X.X°	± 0.5°
X.XX	± 0.20	MM		
ØX.X	± 0.3	MM		
ØX.XX	± 0.10	MM		



4670 AIRCENTER  
CIRCLE, RENO,  
NV89502

PRODUCT LINE:  
CABLE MANAGEMENT

PART NUMBER:  
ECX-CBLMGR-VRT48U

DESCRIPTION: Vertical Cable Manager,  
plastic finger, 106mm, used for 48U ECX/DC  
cabinet, Mounting rail, PDU bar compatible, 1 pcs



THIRD ANGLE  
PROJECTION

DRAWING FILE NAME  
ECX-CBLMGR-VRT48U  
3D MODEL FILE NAME  
ECX-CBLMGR-VRT48U  
3D MODEL CONFIGURATION  
Default



ENGINEER:  
WAYNE WANG  
DRAWN:  
WAYNE WANG  
ITEM WEIGHT (REFERENCE ONLY)  
6.58/KG

ORG DATE:  
2022.2.16  
REV DATE:  
2022.2.16  
REV: A

UNITS:MM[IN] INTERPRET TO ASME Y14.100 SIZE: B SCALE:1:1 DO NOT SCALE DRAWING SHEET:6/8

THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF ENCONNEX LLC. AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT THE WRITTEN PERMISSION OF ENCONNEX LLC. THIS DRAWING IS SUBJECT TO CHANGE WITHOUT NOTICE.



Note:  
The green holes are for install on the DC mounting rail.




<p>UNLESS NOTED, DIMENSIONS IN MILLIMETERS &amp; TOLERANCES ARE:</p> <p>X. ±1 MM X° ±1°  X.X ±0.5 MM X.X° ±0.5°  X.XX ±0.20 MM  ØX.X ±0.3 MM  ØX.XX ±0.10 MM</p>	<p>4670 AIRCENTER CIRCLE, RENO, NV89502</p>	<p>PRODUCT LINE: CABLE MANAGEMENT</p>
		<p>PART NUMBER: ECX-CBLMGR-VRT48U</p>
<p>DRAWING FILE NAME ECX-CBLMGR-VRT48U</p>		<p>ENGINEER: WAYNE WANG</p>
<p>3D MODEL FILE NAME ECX-CBLMGR-VRT48U</p>		<p>DRAWN: WAYNE WANG</p>
<p>3D MODEL CONFIGURATION Default</p>		<p>ITEM WEIGHT (REFERENCE ONLY) 6.58/KG</p>
<p>UNITS:MM[IN] INTERPRET TO ASME Y14.100 SIZE: B</p>		<p>SCALE:1:1 DO NOT SCALE DRAWING</p>
<p>THIRD ANGLE PROJECTION</p>		<p>ORG DATE: 2022.2.16</p> <p>REV DATE: 2022.2.16</p> <p>REV: A</p>
<p>DESCRIPTION: Vertical Cable Manager, plastic finger, 106mm, used for 48U ECX/DC cabinet, Mounting rail, PDU bar compatible, 1 pcs</p>		<p>SHEET:7/8</p>

THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF ENCONNEX LLC. AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT THE WRITTEN PERMISSION OF ENCONNEX LLC. THIS DRAWING IS SUBJECT TO CHANGE WITHOUT NOTICE.

Note:  
The pink holes are for install on the ECX mounting rail



UNLESS NOTED, DIMENSIONS IN MILLIMETERS & TOLERANCES ARE: X. ± 1 MM X° ± 1° X.X ± 0.5 MM X.X° ± 0.5° X.XX ± 0.20 MM ØX.X ± 0.3 MM ØX.XX ± 0.10 MM	 4670 AIRCENTER CIRCLE, RENO, NV89502	PRODUCT LINE: CABLE MANAGEMENT
		PART NUMBER: ECX-CBLMGR-VRT48U
DRAWING FILE NAME ECX-CBLMGR-VRT48U		ENGINEER: WAYNE WANG
3D MODEL FILE NAME ECX-CBLMGR-VRT48U		DRAWN: WAYNE WANG
3D MODEL CONFIGURATION Default		ITEM WEIGHT (REFERENCE ONLY) 6.58/KG
UNITS:MM[IN] INTERPRET TO ASME Y14.100		DO NOT SCALE DRAWING
SIZE: B		SCALE:1:1
SHEET:8/8		SHEET:8/8
ORG DATE: 2022.2.16		REV DATE: 2022.2.16
REV: A		REV: A



THIRD ANGLE PROJECTION

A