



THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF ENCONNEX LLC. AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT THE WRITTEN PERMISSION OF ENCONNEX LLC. THIS DRAWING IS SUBJECT TO CHANGE WITHOUT NOTICE.

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
1	Control Released	2022.2.8	FANCY FAN
A	Full Released	2022.2.16	FANCY FAN

NOTE: Cabinet not include, this view shows the installed ECX-CBLMGR-VRT52U




(ECX Cabinet)




(DC Cabinet)

NOTES, UNLESS OTHERWISE SPECIFIED:


- MATERIAL: CRS+ABS
- FINISH: RAL 9005
- PART MUST BE SUFFICIENTLY FREE OF BURRS AND SHARP EDGES TO PASS UL 1439 SHARP EDGE TEST.
- 3D CAD AVAILABLE IN ADDITION TO PDF PRINT. SHOULD DISCREPANCY ARISE, CONSULT ENCONNEX ENGINEERING IMMEDIATELY.
- ALL PARTS TO BE FREE OF DIRT OR GRIME THAT PREVENTS LABEL ADHESION OR ALLOWS TRANSFER ONTO COSMETIC AREAS.
- MUST BE ROHS COMPLIANT, INCLUDING HARDWARE. IF CONFLICTING SPECIFICATIONS EXIST, CONTACT ENCONNEX ENGINEERING.
- DIMENSIONS IDENTIFIED WITH (X.XX) ARE CONSIDERED CRITICAL TO QUALITY (CTQ) DIMENSIONS. THESE DIMENSIONS ARE EXPECTED TO BE MONITORED STATISTICALLY AND DOCUMENTED AS PART OF THE FABRICATION PROCESS.

UNLESS NOTED, DIMENSIONS IN MILLIMETERS & TOLERANCES ARE: X. ±1 MM X.X ±0.5 MM X.XX ±0.20 MM ØX.X ±0.3 MM ØX.XX ±0.10 MM X° ±1° X.X° ±0.5°	 4670 AIRCENTER CIRCLE, RENO, NV89502	PRODUCT LINE: CABLE MANAGEMENT
		PART NUMBER: ECX-CBLMGR-VRT52U
 THIRD ANGLE PROJECTION		DESCRIPTION: Vertical Cable Manager, plastic finger, 106mm, used for 52U ECX/DC cabinet, Mounting rail, PDU bar compatible, 1 pcs
DRAWING FILE NAME ECX-CBLMGR-VRT52U	ENGINEER: WAYNE WANG	ORG DATE: 2022.2.16
3D MODEL FILE NAME ECX-CBLMGR-VRT52U	DRAWN: WAYNE WANG	REV DATE: 2022.2.16
3D MODEL CONFIGURATION Default	ITEM WEIGHT (REFERENCE ONLY) 6.92/KG	REV: A
UNITS:MM[IN]	INTERPRET TO ASME Y14.100	SIZE: B
	SCALE:1:1	DO NOT SCALE DRAWING
		SHEET:1/8


THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF ENCONNEX LLC. AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT THE WRITTEN PERMISSION OF ENCONNEX LLC. THIS DRAWING IS SUBJECT TO CHANGE WITHOUT NOTICE.



FRONT VIEW



REAR VIEW

<p>UNLESS NOTED, DIMENSIONS IN MILLIMETERS & TOLERANCES ARE:</p> <table border="0"> <tr> <td>X.</td><td>± 1</td><td>MM</td> <td>X°</td><td>± 1°</td> </tr> <tr> <td>X.X</td><td>± 0.5</td><td>MM</td> <td>X.X°</td><td>± 0.5°</td> </tr> <tr> <td>X.XX</td><td>± 0.20</td><td>MM</td> <td></td><td></td> </tr> <tr> <td>ØX.X</td><td>± 0.3</td><td>MM</td> <td></td><td></td> </tr> <tr> <td>ØX.XX</td><td>± 0.10</td><td>MM</td> <td></td><td></td> </tr> </table>	X.	± 1	MM	X°	± 1°	X.X	± 0.5	MM	X.X°	± 0.5°	X.XX	± 0.20	MM			ØX.X	± 0.3	MM			ØX.XX	± 0.10	MM			 <p>4670 AIRCENTER CIRCLE, RENO, NV89502</p>	<p>PRODUCT LINE: CABLE MANAGEMENT</p>
	X.	± 1	MM	X°	± 1°																						
X.X	± 0.5	MM	X.X°	± 0.5°																							
X.XX	± 0.20	MM																									
ØX.X	± 0.3	MM																									
ØX.XX	± 0.10	MM																									
 <p>THIRD ANGLE PROJECTION</p>	<p>DRAWING FILE NAME ECX-CBLMGR-VRT52U</p> <p>3D MODEL FILE NAME ECX-CBLMGR-VRT52U</p> <p>3D MODEL CONFIGURATION Default</p>	<p>ENGINEER: WAYNE WANG</p> <p>DRAWN: WAYNE WANG</p> <p>ITEM WEIGHT (REFERENCE ONLY) 6.92/KG</p>																									
<p>UNITS:MM[IN]</p>	<p>INTERPRET TO ASME Y14.100</p>	<p>SIZE: B</p>	<p>SCALE:1:1</p>	<p>DO NOT SCALE DRAWING</p>	<p>SHEET:2/8</p>																						

PART NUMBER:
ECX-CBLMGR-VRT52U


DESCRIPTION: Vertical Cable Manager,
plastic finger, 106mm, used for 52U ECX/DC
cabinet, Mounting rail, PDU bar compatible, 1 pcs

ORG DATE:
2022.2.16

REV DATE:
2022.2.16

REV: A


THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF ENCONNEX LLC. AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT THE WRITTEN PERMISSION OF ENCONNEX LLC. THIS DRAWING IS SUBJECT TO CHANGE WITHOUT NOTICE.




ITEM	PN	QTY
1	1M5-W006	8
2	P400-100001	50
3	1M5-W007	9
4	P400-100001 Cover plastic lock 1.0mm	8

<p>UNLESS NOTED, DIMENSIONS IN MILLIMETERS & TOLERANCES ARE:</p> <p>X. ±1 MM X° ±1° X.X ±0.5 MM X.X° ±0.5° X.XX ±0.20 MM ØX.X ±0.3 MM ØX.XX ±0.10 MM</p>	<p>4670 AIRCENTER CIRCLE, RENO, NV89502</p>	<p>PRODUCT LINE: CABLE MANAGEMENT</p>
		<p>PART NUMBER: ECX-CBLMGR-VRT52U</p>
<p>DESCRIPTION: Vertical Cable Manager, plastic finger, 106mm, used for 52U ECX/DC cabinet, Mounting rail, PDU bar compatible, 1 pcs</p>		
<p>THIRD ANGLE PROJECTION</p>	<p>DRAWING FILE NAME ECX-CBLMGR-VRT52U</p> <p>3D MODEL FILE NAME ECX-CBLMGR-VRT52U</p> <p>3D MODEL CONFIGURATION Default</p>	<p>ENGINEER: WAYNE WANG</p> <p>DRAWN: WAYNE WANG</p> <p>ITEM WEIGHT (REFERENCE ONLY) 6.92/KG</p>
<p>UNITS:MM[IN]</p>	<p>INTERPRET TO ASME Y14.100</p>	<p>SCALE:1:1</p>
<p>SIZE: B</p>	<p>DO NOT SCALE DRAWING</p>	<p>SHEET:3/8</p>
<p>DATE: 2022.2.16</p>	<p>REV DATE: 2022.2.16</p>	<p>REV: A</p>


THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF ENCONNEX LLC. AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT THE WRITTEN PERMISSION OF ENCONNEX LLC. THIS DRAWING IS SUBJECT TO CHANGE WITHOUT NOTICE.



FRONT VIEW



SIDE VIEW



REAR VIEW

UNLESS NOTED, DIMENSIONS IN MILLIMETERS & TOLERANCES ARE:

X.	± 1	MM	X°	± 1°
X.X	± 0.5	MM	X.X°	± 0.5°
X.XX	± 0.20	MM		
ØX.X	± 0.3	MM		
ØX.XX	± 0.10	MM		



4670 AIRCENTER
CIRCLE, RENO,
NV89502

PRODUCT LINE:
CABLE MANAGEMENT

PART NUMBER:
ECX-CBLMGR-VRT52U

DESCRIPTION: Vertical Cable Manager,
plastic finger, 106mm, used for 52U ECX/DC
cabinet, Mounting rail, PDU bar compatible, 1 pcs






THIRD ANGLE
PROJECTION

DRAWING FILE NAME ECX-CBLMGR-VRT52U	ENGINEER: WAYNE WANG	ORG DATE: 2022.2.16
3D MODEL FILE NAME ECX-CBLMGR-VRT52U	DRAWN: WAYNE WANG	REV DATE: 2022.2.16
3D MODEL CONFIGURATION Default	ITEM WEIGHT (REFERENCE ONLY) 6.92/KG	REV: A

THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF ENCONNEX LLC. AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT THE WRITTEN PERMISSION OF ENCONNEX LLC. THIS DRAWING IS SUBJECT TO CHANGE WITHOUT NOTICE.


Note:
Four buttons are installed from the red holes to fix on the ECX PDU bar.



<p>UNLESS NOTED, DIMENSIONS IN MILLIMETERS & TOLERANCES ARE:</p> <p>X. ± 1 MM X° ± 1° X.X ± 0.5 MM X.X° ± 0.5° X.XX ± 0.20 MM ØX.X ± 0.3 MM ØX.XX ± 0.10 MM</p>	 <p>4670 AIRCENTER CIRCLE, RENO, NV89502</p>	<p>PRODUCT LINE: CABLE MANAGEMENT</p>			
		<p>PART NUMBER: ECX-CBLMGR-VRT52U</p>			
<p>DESCRIPTION: Vertical Cable Manager, plastic finger, 106mm, used for 52U ECX/DC cabinet, Mounting rail, PDU bar compatible, 1 pcs</p>					
 <p>THIRD ANGLE PROJECTION</p>	<p>DRAWING FILE NAME ECX-CBLMGR-VRT52U</p>	<p>ENGINEER: WAYNE WANG</p>	<p>ORG DATE: 2022.2.16</p>		
	<p>3D MODEL FILE NAME ECX-CBLMGR-VRT52U</p>	<p>DRAWN: WAYNE WANG</p>	<p>REV DATE: 2022.2.16</p>		
	<p>3D MODEL CONFIGURATION Default</p>	<p>ITEM WEIGHT (REFERENCE ONLY) 6.92/KG</p>	<p>REV: A</p>		
<p>UNITS:MM[IN]</p>	<p>INTERPRET TO ASME Y14.100</p>	<p>SIZE: B</p>	<p>SCALE:1:1</p>	<p>DO NOT SCALE DRAWING</p>	<p>SHEET:5/8</p>

THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF ENCONNEX LLC. AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT THE WRITTEN PERMISSION OF ENCONNEX LLC. THIS DRAWING IS SUBJECT TO CHANGE WITHOUT NOTICE.


Note:
Four buttons are installed from the yellow holes to fix on the DC PDU bar.



<p>UNLESS NOTED, DIMENSIONS IN MILLIMETERS & TOLERANCES ARE:</p> <p>X. ±1 MM X° ±1° X.X ±0.5 MM X.X° ±0.5° X.XX ±0.20 MM ØX.X ±0.3 MM ØX.XX ±0.10 MM</p>	 <p>4670 AIRCENTER CIRCLE, RENO, NV89502</p>	PRODUCT LINE: CABLE MANAGEMENT
		PART NUMBER: ECX-CBLMGR-VRT52U
<p>THIRD ANGLE PROJECTION</p>		DESCRIPTION: Vertical Cable Manager, plastic finger, 106mm, used for 52U ECX/DC cabinet, Mounting rail, PDU bar compatible, 1 pcs
DRAWING FILE NAME ECX-CBLMGR-VRT52U	ENGINEER: WAYNE WANG	ORG DATE: 2022.2.16
3D MODEL FILE NAME ECX-CBLMGR-VRT52U	DRAWN: WAYNE WANG	REV DATE: 2022.2.16
3D MODEL CONFIGURATION Default	ITEM WEIGHT (REFERENCE ONLY) 6.92/KG	REV: A
UNITS:MM[IN]	INTERPRET TO ASME Y14.100	SIZE: B
	SCALE:1:1	DO NOT SCALE DRAWING
		SHEET:6/8

THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF ENCONNEX LLC. AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT THE WRITTEN PERMISSION OF ENCONNEX LLC. THIS DRAWING IS SUBJECT TO CHANGE WITHOUT NOTICE.

Note:
The green holes are for install on the DC mounting rail.



UNLESS NOTED, DIMENSIONS IN MILLIMETERS & TOLERANCES ARE:

X.	± 1	MM	X°	± 1°
X.X	± 0.5	MM	X.X°	± 0.5°
X.XX	± 0.20	MM		
ØX.X	± 0.3	MM		
ØX.XX	± 0.10	MM		




4670 AIRCENTER
CIRCLE, RENO,
NV89502

PRODUCT LINE:
CABLE MANAGEMENT

PART NUMBER:
ECX-CBLMGR-VRT52U

DESCRIPTION: Vertical Cable Manager,
plastic finger, 106mm, used for 52U ECX/DC
cabinet, Mounting rail, PDU bar compatible, 1 pcs



THIRD ANGLE
PROJECTION

DRAWING FILE NAME
ECX-CBLMGR-VRT52U
3D MODEL FILE NAME
ECX-CBLMGR-VRT52U
3D MODEL CONFIGURATION
Default

ENGINEER:
WAYNE WANG
DRAWN:
WAYNE WANG



ORG DATE:
2022.2.16
REV DATE:
2022.2.16


ITEM WEIGHT (REFERENCE ONLY)
6.92/KG

REV: A

THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF ENCONNEX LLC. AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT THE WRITTEN PERMISSION OF ENCONNEX LLC. THIS DRAWING IS SUBJECT TO CHANGE WITHOUT NOTICE.

Note:
The pink holes are for install on the ECX mounting rail



UNLESS NOTED, DIMENSIONS IN MILLIMETERS & TOLERANCES ARE: X. ± 1 MM X.X ± 0.5 MM X.XX ± 0.20 MM ØX.X ± 0.3 MM ØX.XX ± 0.10 MM	$X^\circ \pm 1^\circ$ $X.X^\circ \pm 0.5^\circ$	 ENCONNEX 4670 AIRCENTER CIRCLE, RENO, NV89502	PRODUCT LINE: CABLE MANAGEMENT
			PART NUMBER: ECX-CBLMGR-VRT52U
			DESCRIPTION: Vertical Cable Manager, plastic finger, 106mm, used for 52U ECX/DC cabinet, Mounting rail, PDU bar compatible, 1 pcs
 THIRD ANGLE PROJECTION Default	DRAWING FILE NAME ECX-CBLMGR-VRT52U	ENGINEER: WAYNE WANG	ORG DATE: 2022.2.16
	3D MODEL FILE NAME ECX-CBLMGR-VRT52U	DRAWN: WAYNE WANG	REV DATE: 2022.2.16
		3D MODEL CONFIGURATION Default	ITEM WEIGHT (REFERENCE ONLY) 6.92/KG
UNITS:MM[IN]	INTERPRET TO ASME Y14.100	SIZE: B	SCALE:1:1 DO NOT SCALE DRAWING
			REV: A SHEET:8/8