



NOTES:



REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
A	FULL RELEASED	20230510	CT



ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	1M2-Y331	MANUFAC, SUB, PROCESS, COAT, 8 POSITION PHONE/PAD HOLDER	1
2	1Q6-Y331	MANUFAC, SUB, INJC, RUBBER BLOCK FOR BRACKT	18

PROPRIETARY AND CONFIDENTIAL This drawing and its specifications are the property of ENCONNEX and shall not be copied, reproduced, or used in whole or in part, as the basis for the manufacture or sale of items without written permission from ENCONNEX. This drawing is based upon the latest available information and is subject to change without notice.	UNLESS OTHERWISE SPECIFIED X = ± 1 X.X = ± 0.5 X.XX = ± 0.30 X.XXX = ± 0.130 ANGULAR X = 1° .X = 0.5° .XX = 0.25°		 4670 AIRCENTER CIRCLE RENO, NV 89502		DESCRIPTION: FINAL ASSY, 8 POSITION PHONE/PAD HOLDER ASSY		
	COMMENTS:		MATERIAL: SEE INDIVIDUAL		FINISH: N/A		
	DRAWN BY: YIFEI WANG 20230510 APP. BY: YIFEI WANG 20230510		CLASS: N/A B DEBURR AND BREAK SHARP EDGES/CONTOURS AT 0.2mm MAX		SIZE: N/A B DRAWING NO: E103300-34B		REV NO: A
	UNITS: mm [in]		INTERPRET TO ASME Y14.100		SCALE: 1:2 WEIGHT:		SHEET: 1 OF 3

NOTES:



PROPRIETARY AND CONFIDENTIAL

This drawing and its specifications are the property of ENCONNEX and shall not be copied, reproduced, or used in whole or in part, as the basis for the manufacture or sale of items without written permission from ENCONNEX. This drawing is based upon the latest available information and is subject to change without notice.

UNLESS OTHERWISE SPECIFIED

X = ± 1
 X.X = ± 0.5
 X.XX = ± 0.30
 X.XXX = ± 0.130
 ANGULAR
 X = 1°
 .X = 0.5°
 .XX = 0.25°



DESCRIPTION:

FINAL ASSY, 8 POSITION
 PHONE/PAD HOLDER ASSY

COMMENTS:

MATERIAL:
 SEE INDIVIDUAL

FINISH: N/A CLASS: N/A

SIZE: N/A B DRAWING NO: E103300-34B REV NO: A



DRAWN BY: YIFEI WANG 20230510
 APP. BY: YIFEI WANG 20230510

DEBURR AND BREAK SHARP EDGES/CONTOURS AT 0.2mm MAX




SCALE: 1:2 WEIGHT: SHEET: 2 OF 3

UNITS: mm [in]

INTERPRET TO ASME Y14.100

NOTES:

TPS-5-8
5*8 CAPTIVE PINS, SUS
4 PLACES



<p>PROPRIETARY AND CONFIDENTIAL</p> <p>This drawing and its specifications are the property of ENCONNEX and shall not be copied, reproduced, or used in whole or in part, as the basis for the manufacture or sale of items without written permission from ENCONNEX. This drawing is based upon the latest available information and is subject to change without notice.</p>	<p>UNLESS OTHERWISE SPECIFIED</p> <p>X = ± 1 X.X = ± 0.5 X.XX = ± 0.30 X.XXX = ± 0.130 ANGULAR X = 1° .X = 0.5° .XX = 0.25°</p>				<p>DESCRIPTION:</p> <p>FINAL ASSY, 8 POSITION PHONE/PAD HOLDER ASSY</p>		
	<p>COMMENTS:</p>		<p>4670 AIRCENTER CIRCLE RENO, NV 89502</p>		<p>MATERIAL:</p> <p>1.2MM SPCC</p>		
	<p>DRAWN BY: YIFEI WANG 20230510</p> <p>APP. BY: YIFEI WANG 20230510</p>		<p>FINISH: BLACK, RAL9005</p> <p>CLASS: A</p>		<p>SIZE: B</p>	<p>DRAWING NO: 1M2-Y331</p>	<p>REV NO: A</p>
	<p>UNITS: mm [in]</p>		<p>INTERPRET TO ASME Y14.100</p>		<p>SCALE: 1:2</p>	<p>WEIGHT:</p>	<p>SHEET: 3 OF 3</p>