


## Channel Strut Accessories

Marathon offers a comprehensive range of channel strut accessories designed to provide secure, versatile, and reliable connections for strut systems. These components are engineered for strength, durability, and ease of installation in various structural and support applications.

### Features and Benefits:

- **Secure, adjustable, reusable threaded connection for modular support systems:** Eliminates welding and drilling, while providing a strong, flexible solution that saves time and labor.
- **Even load distribution and resistance to rotation:** Enhances structural integrity and prevents loosening under stress.
- **Non-invasive and adjustable connection:** Allows easy repositioning without damaging the strut or components.
- **Stable and robust base for strut channel installation:** Ensures reliable support for heavy-duty applications.
- **Easy and secure method to attach piping and EMT conduit to channel strut:** Simplifies installation and reduces assembly time.



### Channel Nuts

Marathon Catalog Number	Part Number	Description	Thread Size	Nut Thickness		Approx. Weight Per 100 Pieces	
			(in.)	(in.)	(mm)	(lbs.)	(kg)
MAR-SN-1420	40156499255	Spring Nut	1/4-20	1/4	6.3	6.7	3.04
MAR-SN-3816	40156499254	Spring Nut	3/8-16	3/8	9.5	9.3	4.22
MAR-SN-1213	40156499253	Spring Nut	1/2-13	1/2	12.7	11.6	5.26
MAR-SCN-25	40156499232	Channel Nut W/O Spring	1/4-20	1/4	6.3	6.7	3.04
MAR-SCN-37	40156499231	Channel Nut W/O Spring	3/8-16	3/8	9.5	9.3	4.22
MAR-SCN-50	40156499230	Channel Nut W/O Spring	1/2-13	1/2	12.7	11.6	5.26



[www.marathonbroadband.com](http://www.marathonbroadband.com)

### Square Washers

Marathon Catalog Number	Part Number	Description	Trade Size		Length		Width		Height		Approx.Weight Per 100 Pieces	
			(in.)	(mm)	(in.)	(mm)	(in.)	(mm)	(in.)	(mm)	(lbs.)	(kg)
MAR-SW-25	40156499229	Square Washer, 1/4"	1/4	16	1.614	41.0	1.614	41.0	0.236	6.0	17.0	7.71
MAR-SW-37	40156499228	Square Washer, 3/8"	3/8	21	1.614	41.0	1.614	41.0	0.236	6.0	16.0	7.26
MAR-SW-50	40156499227	Square Washer, 1/2"	1/2	27	1.614	41.0	1.614	41.0	0.236	6.0	16.0	7.26

### Steel Beam Clamps

Marathon Catalog Number	Part Number	Description	Hole Thread Measurement	Jaw Size		Finish	Load (lbs.)	Approx.Weight Per 100 Pieces	
				(in.)	(mm)			(lbs.)	(kg)
MAR-MBC-1420	40156498885	Malleable Iron Beam Clamp	1/4-20	7/8	22.2	Zinc Plated Steel	450	18.82	8.54
MAR-BC-1420	40156499226	Beam Clamp	1/4-20	0.59	15.0	Zinc Plated Iron	100	10.50	4.76
MAR-BC-3816	40156499225	Beam Clamp	3/8-16	15/16	23.8	Zinc Plated Iron	200	28.50	12.93

UL Certified to UL E538004.

### Flat Plate Fittings

Marathon Catalog Number	Part Number	Description	Length/Depth		Height		Width		Approx.Weight Per 100 Pieces	
			(in.)	(mm)	(in.)	(mm)	(in.)	(mm)	(lbs.)	(kg)
MAR-P-002	40156499185	Flat Plate, Two Hole	3.25	82.55	1.62	41.15	1.62	41.2	34	15.4
MAR-P-003	40156499184	Flat Plate, Four Hole	7.25	184.15	1.62	41.15	1.62	41.2	76	34.5
MAR-P-004	40156499183	Flat Plate, Three Hole	5.37	136.40	0.23	5.84	1.62	41.2	55	24.9
MAR-P-005	40156499182	Flat Plate, Three Hole	3.50	88.90	3.50	88.90	1.62	41.2	56	25.4
MAR-P-006	40156499181	Tee Plate, Four Hole	3.50	88.90	5.37	136.40	1.62	41.2	75	34.0
MAR-P-007	40156499180	Flat Plate, Corner Joiner	5.37	136.40	0.22	5.59	3.50	88.9	75	34.0
MAR-P-008	40156499179	Cross Plate, Five Hole	5.37	136.40	5.37	136.40	1.62	41.2	100	45.3



[www.marathonbroadband.com](http://www.marathonbroadband.com)

### 90° Angle Fittings

Marathon Catalog Number	Part Number	Description	Length/Depth		Height		Width		Approx. Weight Per 100 Pieces	
			(in.)	(mm)	(in.)	(mm)	(in.)	(mm)	(lbs.)	(kg)
MAR-CA-001	40156499218	Corner Angle, Two Hole	2.31	58.67	2.31	58.67	1.62	41.2	32	14.5
MAR-CA-003	40156499216	Corner Angle, Four Hole	4.12	104.65	4.12	104.65	1.62	41.2	64	29.0
MAR-CA-004	40156499215	Corner Angle, Three Hole	3.50	88.90	2.25	57.15	1.62	41.2	56	25.4

### Angular Fittings

Marathon Catalog Number	Part Number	Description	Length/Depth		Height		Width		Approx. Weight Per 100 Pieces	
			(in.)	(mm)	(in.)	(mm)	(in.)	(mm)	(lbs.)	(kg)
MAR-AB-001	40156499214	Open Angle Bracket, 45°, Two Hole	4.48	113.79	1.62	41.15	2.35	59.69	58	26.3
MAR-AB-002	40156499213	Closed Angle Bracket, 45°, Two Hole	4.48	113.79	1.62	41.15	2.35	59.69	63	28.6
MAR-AB-003	40156499212	Open Angle Bracket, 45°, Four Hole	6.03	153.16	2.70	68.58	1.62	41.15	77	34.9
MAR-AB-004	40156499211	Closed Angle Bracket, 45°, Four Hole	5.00	127	4.37	111.00	1.62	41.15	95	43.1

### Wing Fittings

Marathon Catalog Number	Part Number	Description	Length/Depth		Height		Width		Approx. Weight Per 100 Pieces	
			(in.)	(mm)	(in.)	(mm)	(in.)	(mm)	(lbs.)	(kg)
MAR-WF-002R	40156499201	Wing Fitting, Six Hole, Single Angle Connector, Right Hand	5.37	136.40	3.93	99.82	1.62	41.15	120	54.4
MAR-WF-002L	40156499200	Wing Fitting, Six Hole, Single Angle Connector, Left Hand	5.37	136.40	3.93	99.82	1.62	41.15	120	54.4
MAR-WF-003	40156499199	Wing Fitting, Five Hole, Double Angle Connector	5.43	137.92	2.06	52.32	1.68	42.67	95	43.1



[www.marathonbroadband.com](http://www.marathonbroadband.com)

### Clevis Fittings

Marathon Catalog Number	Part Number	Description	Length/Depth		Height		Width		Approx.Weight Per 100 Pieces	
			(in.)	(mm)	(in.)	(mm)	(in.)	(mm)	(lbs.)	(kg)
MAR-SC-002	40156499176	Splice Channel, Four Hole, 7-1/4" X 1-5/8"	7.24	183.90	1.62	41.15	2.12	53.85	266	120.7

### Post Bases

Marathon Catalog Number	Part Number	Description	Length/Depth		Height		Width		Approx.Weight Per 100 Pieces	
			(in.)	(mm)	(in.)	(mm)	(in.)	(mm)	(lbs.)	(kg)
MAR-PB-004	40156499193	Single Post Base, Four Hole, 3-1/2" High, Square, Centered Offset	6	152.4	3.5	88.9	6	152.4	392	177.8
MAR-PB-006	40156499191	Single Post Base, Two Hole, 3-1/2" High, Rectangular	8	203.2	3.5	88.9	3	76.2	312	141.5
MAR-PB-007	40156499190	Single Post Base, Four Hole, 3-1/2" High, Square, Centered	6	152.4	3.5	88.9	6	152.4	305	138.3
MAR-PB-011	40156499057	Double Post Base, Four Hole, 3/1/2" High, Square, Centered	6	152.4	3.5	88.9	6	152.4	400	181.4
MAR-PB-012	40156499056	Double Post Base, Four Hole, 3/1/2" High, Square, Centered Offset	6	152.4	3.5	88.9	6	152.4	400	181.4

### Brackets

Marathon Catalog Number	Part Number	Description	Length/Depth		Height		Width		Approx.Weight Per 100 Pieces	
			(in.)	(mm)	(in.)	(mm)	(in.)	(mm)	(lbs.)	(kg)
MAR-SCB-12	40156499210	Single Channel Bracket	12	304.80	4.62	117.35	1.62	41.15	232	105.2
MAR-SCB-24	40156499209	Single Channel Bracket	24	609.60	4.62	117.35	1.62	41.15	450	204.1



[www.marathonbroadband.com](http://www.marathonbroadband.com)

### Conduit Hangers

Marathon Catalog Number	Part Number	Description	Trade Size	Conduit Size		Bolt Size	Approx. Weight Per 100 Pieces	
			(in.)	(in.)	(mm)	(in.)	(lbs.)	(kg)
MAR-CC-37	40156499224	Conduit Hanger, 3/8"-1/2"	0	1/2	15	1/4-20	5.5	2.5
MAR-CC-75	40156499223	Conduit Hanger, 3/4"	1	3/4	20	1/4-20	6.7	3.0
MAR-CC-100	40156499222	Conduit Hanger, 1"	2	1	25	1/4-20	8.0	3.6
MAR-CC-125	40156499221	Conduit Hanger, 1-1/4"	3	1-1/4	32	1/4-20	12.5	5.7
MAR-CC-150	40156499220	Conduit Hanger, 1-1/2"	4	1-1/2	40	1/2-20	19.5	8.8
MAR-CC-200	40156499219	Conduit Hanger, 2"	5	2	50	1/2-20	24.0	10.9

UL Certified to UL E538004.

### O.D. Pipe and Conduit Clamps

Marathon Catalog Number	Part Number	Description	Conduit Size		Design Load 1		Approx. Weight Per 100 Pieces	
			(in.)	(mm)	(lbs.)	(kg)	(lbs.)	(kg)
MAR-PCP-0.50	40156499252	Zinc Plated Steel 2-Piece Rigid/IMC	1/2	15	50	22.7	11.5	5.2
MAR-PCP-0.75	40156499251	Zinc Plated Steel 2-Piece Rigid/IMC	3/4	20	50	22.7	12.2	5.5
MAR-PCP-1.00	40156499250	Zinc Plated Steel 2-Piece Rigid/IMC	1	25	60	27.2	7.1	3.2
MAR-PCP-1.25	40156499249	Zinc Plated Steel 2-Piece Rigid/IMC	1-1/4	32	75	34.0	8.2	3.7
MAR-PCP-1.50	40156499248	Zinc Plated Steel 2-Piece Rigid/IMC	1-1/2	40	80	36.3	15.9	7.2
MAR-PCP-2.00	40156499247	Zinc Plated Steel 2-Piece Rigid/IMC	2	50	100	45.4	15.9	7.2
MAR-PCP-2.50	40156499246	Zinc Plated Steel 2-Piece Rigid/IMC/EMT	2-1/2	65	125	56.7	18.0	8.2
MAR-PCP-3.00	40156499245	Zinc Plated Steel 2-Piece Rigid/IMC/EMT	3	80	165	74.8	10.5	4.8
MAR-PCP-3.50	40156499075	Zinc Plated Steel 2-Piece Rigid/IMC/EMT	3-1/2	90	200	90.7	14.1	6.4
MAR-PCP-4.00	40156499244	Zinc Plated Steel 2-Piece Rigid/IMC/EMT	4	100	230	104.3	15.5	7.0
MAR-PCP-5.00	40156499074	Zinc Plated Steel 2-Piece Rigid/IMC	5	125	330	149.7	18.9	8.6
MAR-PCP-6.00	40156499243	Zinc Plated Steel 2-Piece Rigid/IMC	6	150	435	197.3	21.8	9.9

UL Certified to UL E538004.



[www.marathonbroadband.com](http://www.marathonbroadband.com)

#### EMT Conduit Clamps

Marathon Catalog Number	Part Number	Description	Conduit Size		Design Load 1		Approx. Weight Per 100 Pieces	
			(in.)	(mm)	(lbs.)	(kg)	(lbs.)	(kg)
MAR-PC-50	40156499242	Zinc Plated Steel 2-Piece	1/2	15	50	22.7	11.5	5.2
MAR-PC-75	40156499241	Zinc Plated Steel 2-Piece	3/4	20	50	22.7	12.2	5.5
MAR-PC-100	40156499240	Zinc Plated Steel 2-Piece	1	25	60	27.2	7.1	3.2
MAR-PC-125	40156499239	Zinc Plated Steel 2-Piece	1-1/4	32	75	34.0	8.2	3.7
MAR-PC-150	40156499238	Zinc Plated Steel 2-Piece	1-1/2	40	80	36.3	15.9	7.2
MAR-PC-200	40156499237	Zinc Plated Steel 2-Piece	2	50	100	45.4	15.9	7.2

UL Certified to UL E538004.

\*For sizes over two inches, use O.D. Pipe and Conduit Clamp.